


**Answer ALL questions in the spaces provided.**

- 1 A teacher is explaining the differences between accuracy and precision to her students. She draws the following diagram, which shows different degrees of accuracy and precision. The circles represent targets A, B, C and D and the dots represent arrows hitting the targets.



Explain how targets A, B, C and D represent differing degrees of accuracy and precision.

(4)

**(Total for Question 1 = 4 marks)**



2 A student released a ping pong ball in front of a metre rule and used a phone camera to record the motion of the ball as it fell. The phone camera captures 60 images per second, which may be played back one image at a time.

(a) The ball was dropped from a height such that it reached its terminal velocity as it passed the metre rule.

(i) Explain how the terminal velocity of the ball could be determined using the phone camera recording.

(4)

(ii) Explain how a systematic error could affect the value obtained for the terminal velocity.

(2)

(b) This experiment could have been attempted using a stopwatch to measure the time as the ping pong ball fell.

Explain an advantage of using a phone camera rather than a stopwatch.

(2)

(Total for Question 2 = 8 marks)



- 3 Genuine crystal balls are made from clarified quartz rather than glass.  
A student was given a small crystal ball and wanted to know whether it was genuine.
- (a) The mean diameter of the crystal ball was measured to be 5.06 cm and the mass of the crystal ball was measured to be 175 g.

Show that the density of the material of the crystal ball is about  $2600 \text{ kg m}^{-3}$ .

(3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- (b) The student measured the diameter of the crystal ball using vernier calipers with a resolution of 0.01 cm.

She measured the mass of the crystal ball using a balance with a resolution of 1 g.

The table gives the densities of clarified quartz and glass.

Material	Density / $\text{kg m}^{-3}$
Clarified quartz	2650
Glass	2590

Determine whether the crystal ball was genuine.


(6)

(Total for Question 3 = 9 marks)



- 5 A student measured the height  $h$  of a liquid column in a capillary tube. She used a travelling microscope to make measurements of the positions of the top and bottom of the liquid column.

The travelling microscope consists of a simple microscope that can be moved vertically along a vernier scale.



- (a) The student used a capillary tube with an internal radius  $r$  equal to 0.10 mm and recorded the following readings from the vernier scale.

Bottom of liquid column / cm	Top of liquid column / cm
12.00	27.10

- (i) State the uncertainty in each of these readings.

(1)

- (ii) Calculate the percentage uncertainty in the student's value of  $h$ .

(2)

Percentage uncertainty in  $h$  = .....



(iii) The student repeated the measurement of  $h$  for capillary tubes of different radii.

The table shows the student's final data.

$r / \text{mm}$	$1/r$	$h / \text{cm}$
0.09	11.1	16.56
0.10	10.0	15.1
0.12	8.3	12.6
0.15	6.7	10.33

Criticise the student's recording of the data.


(2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) The student plotted the following graph.



- (i) Determine the height of the liquid column that the student could expect for a tube with an internal radius of 0.11 mm.

(3)

Height of liquid column = .....

- (ii) In her notes it stated that

$$h = \frac{k}{r} \quad \text{where } k \text{ is constant}$$

Assess the extent to which the student's data supports this relationship.

(4)

(Total for Question 5 = 12 marks)



- 2 A student was given a box of identical glass microscope slides and asked to determine the density of the glass. She used a micrometer to measure the thickness of one of the slides. She repeated this measurement twice in different places and calculated a mean value for the thickness. The thickness of each slide was approximately 1 mm.

- (a) Explain how she should have measured the thickness of the slides in order to minimise the percentage uncertainty.

(2)

.....

.....

.....

.....

- (b) In her report she wrote

*"My value for the mass of the glass slides was precise, because I measured the mass using an electronic balance which was accurate to the nearest 0.01g. I reduced the effect of random error by repeating the measurement several times."*

Comment on this statement.

(4)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(Total for Question 2 = 6 marks)






- 11 The photograph shows some metal washers. A student carried out an experiment to determine the density of the metal the washers are made from.



(Source: © NJH Photography/Shutterstock)

Each washer has a diameter  $d_1$  of about 4.5 cm. The internal diameter  $d_2$  of each washer is about 2.5 cm. Each washer has a thickness  $t$  of about 4 mm.



- (a) The student used a half metre rule to make measurements of a washer.

Comment on the student's choice of measuring instrument.

(3)

.....

.....

.....

.....

.....

.....

- (b) The student measured  $t$  for each of the five washers and then calculated a mean value.

Explain how the student could modify her method to obtain a more accurate mean value for  $t$ .


(3)

- (c) The student obtained the following mean values.

$$d_1 = 4.52 \text{ cm} \pm 0.02 \text{ cm}$$

$$d_2 = 2.53 \text{ cm} \pm 0.02 \text{ cm}$$

She calculated the area  $A$  of a washer indicated by the shaded section below.



She used the formula  $A = \frac{\pi}{4}(d_1 + d_2)(d_1 - d_2)$

- (i) Show that the percentage uncertainty in her value for the area of a washer is about 3%.

(4)

- (ii) The student obtained the following values of  $t$  for each of the five washers.

$t/\text{mm}$	4.3	4.2	4.1	3.9	4.0
---------------	-----	-----	-----	-----	-----

The table shows the density of iron and steel.

<b>Metal</b>	Iron	Steel
<b>Density / <math>\text{g cm}^{-3}</math></b>	6.9	7.9

Deduce whether the washers are made from iron or steel.

mean mass of a washer = 32.0 g

The uncertainty in the mass is negligible.

(6)

(Total for Question 11 = 16 marks)

**TOTAL FOR PAPER = 120 MARKS**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

